




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup>:</b> <b>H04Q 7/32, H04M 1/72</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/30053</b> <b>(43) International Publication Date:</b> 9 July 1998 (09.07.98)
<b>(21) International Application Number:</b> PCT/SE97/02134 <b>(22) International Filing Date:</b> 17 December 1997 (17.12.97) <b>(30) Priority Data:</b> 9604805-3 27 December 1996 (27.12.96) SE <b>(71) Applicant:</b> TELEFONAKTIEBOLAGET LM ERICSSON (publ) [SE/SE]; S-126 25 Stockholm (SE). <b>(72) Inventors:</b> HOLMSTRÖM, J., Tomas; Johan Åkermans Väg 3, S-240 10 Dalby (SE). ISBERG, B., Johanna; Viborgsslin- gan 42, S-224 72 Lund (SE). DAHLKVIST, H., F., Mikael; Näktergalsvägen 5, S-247 37 S. Sandby (SE). <b>(74) Agents:</b> HERBJØRNSSEN, Rut et al.; H. Albihs Patentbyrå AB, P.O. Box 3137, S-103 62 Stockholm (SE).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i>

**(54) Title:** A USER INTERFACE FOR A MOBILE COMMUNICATION UNIT**(57) Abstract**

In a mobile communication unit (1), the phone book is adapted, in a first step, to enable selection of more than one item stored in the phone book and thereafter, in a second step, enable selection of an operation in the phone book to be executed on all items selected in the first step.



**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## A USER INTERFACE FOR A MOBILE COMMUNICATION UNIT

### TECHNICAL FIELD

The invention relates to a mobile communication unit and more particularly to the  
5 phone book of a mobile communication unit.

### BACKGROUND OF THE INVENTION

In phone books in mobile communication units, e.g. mobile phones, a number of  
predetermined operations are stored. These operations can be selected for execution  
10 on items, e.g. names and numbers for abbreviated dialling, that a user of the mobile  
phone has stored in the phone book. By selecting the phone book on the menu of the  
mobile phone, the operations stored in the phone book will be displayed on the  
display of the mobile phone together with the items stored in the phone book. To  
store items in the phone book, the keypad of the mobile phone is used in a manner  
15 known per se. The keypad is also used for selecting items displayed on the display as  
well as operations displayed on the display to be executed on the selected items.

Today, the use of the phone book is limited. This is i.a. due to the fact that for  
complex operations, such as conference calls, the user must have a detailed  
20 knowledge about the operations as such in order to be able to use them.

### BRIEF DESCRIPTION OF THE INVENTION

The object of the invention is to enhance the use of the phone book in mobile phones  
by simplifying the steps that a user have to go through in order to utilize complex  
25 operations, e.g. establish a conference call.

This is attained in the mobile communication unit according to the invention in that  
it is possible to select more than one item in the phone book and thereafter select an  
operation to be executed on all selected items.

30

Hereby, it will not be necessary for a user to have a detailed knowledge about any complex operation, such as establishing a conference call, in order to utilize that operation.

## 5 BRIEF DESCRIPTION OF THE DRAWING

The invention will be described more in detail below with reference to the appended drawing, on which Fig.1 shows a standard mobile phone in which the present invention has been implemented, and Fig.2 is a flowchart illustrating the setting up of a conference call using the mobile phone in Fig. 1.

10

## PREFERRED EMBODIMENTS

Fig.1 shows an embodiment of a mobile phone generally denoted 1. In a manner known per se, the mobile phone 1 comprises an antenna 2, a display 3, and a keypad having a number of keys including i.a. normal alphanumeric keys, a SEND key, an  
15 END key, two ARROW keys, and, in the embodiment shown, on one side of the phone, two volume keys 4, which also are used as SELECT keys.

The mobile phone 1 comprises a phone book (not shown) which stores predetermined, programmed operations to be executed on items to be stored in the  
20 phone book.

In accordance with the invention, i.a. the following operations are programmed in the phone book: store, copy, erase, call, and conference call.

25 In order to describe the function of the phone book according to the invention, it is assumed that a number of items, i.e. names and numbers for abbreviated dialling, have been stored in a manner known per se in the phone book. Thus, it is assumed that the contents of the phone book is as indicated in the below Table 1:

TABLE 1

Phone Book	
Adam...	7
Bertil...	19
Ceasar	□44
.	.
.	.
.	.
Zeke	□2
Store	
Copy	
Erase	
Call	
Conference Call	

- 5 The items indicated in the phone book according to Table 1 are names and corresponding numbers for abbreviated dialing. The abbreviated numbers preceded by a "□" are stored in an EEPROM of the phone, while the abbreviated numbers not preceded by a "□" are stored in a SIM card of the phone in a manner known per se.
- 10 In accordance with the invention, more than one item displayed on the display 3 can be selected by moving the cursor (not shown) to the respective item by means of the ARROW keys and, then, pressing the SELECT keys 4. It is supposed that "Adam", "Bertil", and "Zeke" have been selected. The phone book would then be displayed on the display 3 as shown in the below Table 2.

15

TABLE 2

Phone Book	
Adam...	7
Bertil...	19
Ceasar	□44
.	.
.	.
.	.
Zeke	□2
Store	
Copy	
Erase	
Call	
Conference Call	

Now, any of the operations "Copy", "Erase", "Call" or "Conference Call" can be selected from the bottom of Table 2 for execution on the selected items in Table 2, i.e. "Adam", "Bertil", and "Zeke".

- 5 If "Copy" is to be selected, the cursor (not shown) is moved to "Copy" by means of the ARROW keys, whereupon the SEND key is pressed. Hereby, selected items in Table 2 having an abbreviated number not preceded by a "□" are copied from the SIM card to the first free positions in the EEPROM, while items having an abbreviated number preceded by a "□", are copied from the EEPROM to the first  
10 free positions in the SIM card.

If "Erase" is selected by moving the cursor to "Erase" by means of the ARROW keys and pressing the SEND key, the selected items in Table 2 are erased from the SIM card and the EEPROM, respectively, in the mobile phone.

15

- If "Call" is selected by moving the cursor to "Call" by means of the ARROW keys and pressing the SEND key, the selected items in Table 2 can be called one by one. However, the user is prompted to confirm every call. By again pressing the SEND key, "Adam" is called. If the user instead presses the END key, "Adam" is not  
20 called. Instead, the user will be prompted to confirm whether or not "Bertil" is to be called. By pressing the SEND key, "Bertil" is called. By pressing the END key, "Bertil" is not called. Instead, the user will be prompted to confirm whether or not "Zeke" is to be called. If the SEND key is pressed, "Zeke" is called. If the END key is pressed, "Zeke" is not called.

25

- If "Conference Call" is selected by moving the cursor to "Conference Call" by means of the ARROW keys and pressing the SEND key, the selected items in Table 2 can be joined into a conference call. As in the above "Call" case, the selected items will be called one by one and put on hold. The user initiating the conference  
30 call must then join the called parties to the conference call, one by one, as will be described below with reference to Fig. 2.

It is assumed that a conference call is to be established from the user to "Adam", "Bertil", and "Zeke" selected in the phone book in accordance with Table 2, as well as to a party "Bo". "Bo" is not stored in the phone book but is supposed to have  
5 phone number 04312579.

As mentioned above, by moving the cursor to "Conference Call" by means of the ARROW keys and pressing the SEND key, the selected items in Table 2 can be, joined into a conference call.

10

Fig. 2 shows what is displayed on the display 3 of the mobile phone 1 in the steps needed to establish the conference call.

In step I in the left hand column in Fig. 2, the user is prompted on the display 3 to  
15 confirm whether or not a call should be established to "Adam" having the indicated telephone number and the indicated abbreviated number.

By pressing the SEND key on the keypad of the mobile phone 1, a call will be established to "Adam". Instead, if the END key is pressed, "Adam" will not be  
20 called but the user will be prompted to confirm whether or not a call should be established to the next selected item, i.e. "Bertil".

It is assumed in Fig. 2 that a call should be established to "Adam". Thus, the user presses the SEND key and a call is established to "Adam". The display 3 will show  
25 what is illustrated in step II in Fig. 2. As is illustrated in step II, the user is prompted to confirm whether or not to add "Adam" to the conference. By pressing the END key, "Adam" is disconnected. In Fig. 2, it is assumed that the user instead presses the SEND key, whereupon a connection is established to "Adam". Then, the user is prompted to confirm whether or not a call should be established to the next selected  
30 item, i.e. "Bertil" as illustrated in step III in Fig. 2. It is assumed that the user presses the SEND key, whereupon a call is established to "Bertil" having the indicated

telephone number and the indicated abbreviated number. When the SEND key is pressed, "Adam" is put on hold. In step IV, the user is prompted to confirm whether or not to add "Bertil" to the conference. If the END key is pressed, "Bertil" is disconnected. In Fig. 2, it is assumed that the SEND key is pressed, whereupon  
5 "Bertil" is added to the conference. In step V, the user is prompted to confirm whether or not a call should be established to the next selected item, i.e. "Zeke".

Moving to the right hand column of Fig.2, it is assumed that a call is established to "Zeke" in that the user presses the SEND key. By pressing the SEND key, the  
10 conference is put on hold. In step VI, the user is prompted to confirm whether or not to add "Zeke" to the conference. If the END key is pressed, "Zeke" is disconnected. In Fig. 2, it is assumed that the SEND key is pressed, whereupon "Zeke" is added to the conference.

15 Now, all the selected items in Table 2 have been added to the conference by being put on hold. In accordance with the invention, the user is then prompted by the phone book to confirm whether or not more parties should be added to the conference, i.e. parties not stored in the phone book. This is illustrated in step VII in Fig. 2.

20 By pressing the SEND key, the user indicates to the phone book that another party should be added to the conference. In step VIII in Fig. 2, it is assumed that the user manually dials the indicated phone number, i.e. the number of the party "Bo", and presses the SEND key to establish a call to "Bo". By pressing the SEND key, the  
25 conference is put on hold.

In step IX, the user is prompted to confirm whether to add "Bo" to the conference. If the END key is pressed, "Bo" is disconnected. In Fig. 2, it is assumed that the SEND key is pressed, whereupon "Bo" is added to the conference.

30 In step X, step VII is repeated, namely the user is prompted to confirm whether or



not more parties should be added to the conference call.

In Fig. 2, it is assumed that no further parties should be added to the conference.

Thus, by pressing the END key, the user joins the conference put on hold and the  
5 conference is made active.

The use of the phone book as a menu of items on which operations can be performed, makes the mobile phone according to the invention easy to use in that the user interface is easy to understand.

## CLAIM

A mobile communication unit (1) comprising

- a phone book storing predetermined operations to be executed on items to be stored
- 5 in the phone book,
- a display (3) for displaying the operations stored in the phone book, and any item stored in the phone book, and
- a keypad for keying items to be stored in the phone book, and for selecting, on one
- 10 hand, items on the display and, on the other hand, operations on the display to be executed on the selected items, **characterized in** that the phone book is adapted to enable, in a first step, selection of more than one item displayed on the display and, in a second step, selection of an operation to be executed on all the items selected in the first step.

1/2




FIG.1

2/2




FIG. 2